

MANUFACTURED EZI-FIT *Product Spec*

IS-M128



InfinitiStone[®]
Your Natural Choice in Stone Cladding

Our Colour Selection





*Add Texture quickly
and cost effectively –
that is why our Ezi-Fit
ranges are popular
amongst Builders and
DIYers*

Dimensions, Sizing & Packaging

Flats:

M121 & 125 - 150mmH x 500mmL +/- 5mm (comes in pre-packed boxes)

M127-75 & 128 - 100mmH x 500mmL, 300mmL, 200mmL +/- 5mm (comes random in pre-packed boxes)

Corners:

M121 & 125 - 150mmH x 260mm Long Leg & 70mm Short Leg +/- 5mm (internal dimensions)

M127-75 & 128 - 100mm H x 160mm Long x 60mm Short Legs and 250mm Long x 60mm Short Legs +/- 5mm (internal dimensions)

Thickness & Weight:

M121 & 125 - 20-35mm, 35kg/m²

M127-75 & 128 - 30-50mm, 40kg/m²

Packaging

M121 & 125 - 0.45m²/box Flats and 1.2Lm/box Corners

M127-75 & 128 - 0.4m²/box Flats and 0.8Lm/box Corners



Pre-fabricated Corners available, ensuring most natural edge detailing – no unsightly mitre join lines and up to half your installation time saved!

IS-M125



Quick Installation Tip

External Corners should be installed first, starting from bottom and alternating long and short Legs/Returns. Flats can be installed to fill in areas with joints to be staggered. Select stones from several different boxes to ensure proper blend of colour variation. Installer should check levelness after every few rows. See detailed Installation Guide available separately.



IS-M125



Cutting

Our manufactured veneers can be easily cut or trimmed using an electric tile cutter or hand held grinders with a diamond or masonry blade. Trimming can also be done by using a hatchet or wide-mouth nipper.

Important: Safety Equipment should be used.

As much as 30% lighter in weight than natural quarried stone therefore can be veneered onto most wall substrates



IS-M128

Joints

Our Ezi-Fits are best installed via dry-stacking, butt joined method ie. no requirement to grout.

Being non-combustible makes it extremely durable, suitable for both exterior and interior projects



For more information visit
www.infinitistone.com.au
or
Call 1300 238 288

IS-M125